



STATE OF DELAWARE

PUBLIC SERVICE COMMISSION

861 SILVER LAKE BLVD.
CANNON BUILDING, SUITE 100
DOVER, DELAWARE 19904

TELEPHONE:

(302) 736-7500

FAX:

(302) 739-4849

May 7, 2018

Brandon Fowler
Enstrat Analytics, LLC
331 Spring Hill Road
Morrisville, VT 05661

Re: In The Matter of the Enstrat Analytics, LLC For A Certificate to Provide Electric Supply Services within the State Of Delaware (Submitted April 17, 2018) - PSC Docket No. 18-0227

Dear Mr. Fowler,

The Delaware Public Service Commission ("Commission") is in receipt of the (the "Application") by Enstrat Analytics, LLC ("Company") for certification to broker electric supply services in Delaware. The Application as submitted is incomplete. Additional information is necessary, as indicated below:

Section 2.2.2 Certifications issued by State of Formation

- Please provide a business license for the state of Vermont.

Section 2.2.6 Corporate Structure

- Does the Company have a parent company, affiliate, or subsidiaries?
 - If so, please provide a graphical depiction of the corporate structure.

Section 2.2.7.2 Customer Complaint Contact

- Is the customer complaint contact the same as the regulatory contact?

Section 2.2.9 Toll-Free number

- Please provide a toll-free number.

Section 2.2.16 Financial Information

- Please provide an income statement and a statement of cash flows from within 12 months of the date of the Application.

Section 2.2.19-2.2.21 Retail Experience

- Please provide answers to questions 18 and 19 that were left blank on the Application.

Section 2.5 Verification of Application

- Please provide a signed, sworn statement of verification for **each** subsequent filing in this docket.

The Company may request that the Commission provide confidential treatment to some or all of the information contained in a document that you either wish to e-file using DelaFile or file by paper copy. When requesting confidential treatment for documents filed with the Commission, please simultaneously file a redacted, public version of the same document and an attestation that the information is not subject to inspection or disclosure to the public.

Staff respectfully requests a response to this notice of deficiency on or before June 8, 2018. Please note that 26 *Del. Admin. C.* § 3001 (the "Supplier Rules") section 2.4 provides that incomplete applications will be closed four (4) months after the filing date. If the application is not completed within the four (4) month time frame the applicant forfeits their application filing fee and must resubmit the application with an additional filing fee. The responses and verifications can be uploaded as a subsequent filing in DelaFile under Docket No 18-0227.

Should you have any questions or if I can be of any assistance you may contact me at (302) 736-7500 or send questions by email to Clishona.Marshall@state.de.us.

Sincerely,

Shona Marshall
Shona Marshall
Public Utility Analyst

CC: Ms. Donna Nickerson, Commission Secretary
Ms. Malika Davis, Public Utility Analyst